

EURODIMA

DIAMOND TECHNOLOGIES

Wall saw blade ML89

ETX wet drill bit

Drop-in anchors

AX9 dry drill bit

SPECIAL DISCOUNT

Up to 10% on in-house products!

Current Monthly Promotions
March – May 2025

Invitation to **bauma**

Dear Customer!

The next bauma will take place from April 7 – April 13, 2025.

We warmly invite you and your team to join us!
Experience an exciting time and be among the first to
discover our latest innovations.

/ Find us here:

- / Hall A1 – Booth 402**
- / Outdoor Area A12 – Booth A12.2**

We look forward to welcoming you!

Best regards from Salzburg,



Johannes Radauer, Managing Director



Highlights

- ✓ **Presentation of our revolutionary and patented core drilling technology**
- ✓ **Up to 10% special discount on EURODIMA products from March 31 – April 18**
- ✓ **Live product demonstrations**
- ✓ **Special giveaways for visitors**
- ✓ **Refreshments & local delicacies**

**Special discount of up to
10% on in-house products!**

Promotion period:
From 01.03.2025 to 31.05.2025, valid while
supplies last, delivery time upon agreement!

We are happy to advise you:
Austria: +43 662 42 42 48-0
Email: office@eurodima.com

Head Office Austria:
EURODIMA GmbH & Co KG
Lagerstrasse 6, 5071 Wals

**Order easily –
by phone or via email:**
Alexander Wieland · Tel. +43 676 84 999 7607
aw@eurodima.com

Printing and typographical errors excepted.

Our terms and conditions apply – available at
www.eurodima.com.

Please note our privacy policy – available at
www.eurodima.com.

Wall saw blade with **set diamonds** ML89



Very high
cutting speed


The wall saw blade of the latest generation guarantee long tool life and optimum cutting results.

- / Laser-welded diamond segments for a safe bond of segment and master core
- / Short segments for improved removal of water and welding sludge
- / High cutting ability in reinforced concrete and **hard aggregates such as Donau quartz**
- / Very high-cutting speed on iron
- / Segments with set diamond structure
- / **Recommended from 15 kW**



Standard bore
50/60 mm

Set diamond
structure



**All diameters freely
selectable/combinable***

Ø blade mm	Toothing	Ø hole + NL* mm	Number of segments	Segment Width mm	Segment Height mm	Part no.
600	C4	25,40 + NL	64	5,0	13	3ML89L0600-50
650	C4	25,40 + NL	68	5,0	13	3ML89L0650-50
800	C4	25,40 + NL	80	4,7	13	3ML89L0800-47
825	C4	25,40 + NL	82	4,7	13	3ML89L0825-47
1000	C4	25,40 + NL	100	4,4	13	3ML89L1000-44
1200	C4	25,40 + NL	120	4,4	13	3ML89L1200-44

/ Intermediate and special sizes available on request

*** The prices for "3 pieces" and "5 pieces" also apply to mixed diameters. You do not need to purchase 5 pieces of the same diameter to receive the quantity discount!**

/ *NL = pin hole

/ The segment foot height can vary between 1 - 2 mm

Promotion period:

From 01.03.2025 to 31.05.2025, valid while supplies last, delivery time upon agreement!

We are happy to advise you:

Austria: +43 662 42 42 48-0
Email: office@eurodima.com

Head Office Austria:

EURODIMA GmbH & Co KG
Lagerstrasse 6, 5071 Wals

**Order easily –
by phone or via email:**

Alexander Wieland · Tel. +43 676 84 999 7607
aw@eurodima.com

Printing and typographical errors excepted.

Our terms and conditions apply – available at www.eurodima.com.

Please note our privacy policy – available at www.eurodima.com.

ETX wet drill bit brazed/welded, with 1¼" UNC connections

Segment suitable for welding or brazing
(only available with welding base)

- / Great cutting values and tool life on reinforced concrete, even with abrasive aggregates
- / Oval protrusions on the cutting surfaces makes sharpening unnecessary
- / **Standard working length 500 mm**
- / Special length 430 mm available upon request

X ½ faster drill time

X ½ longer tool life

X ½ improved connection
between tube and segment

EURODIMA
TRIPLEX



Ø mm	L mm	Number of segments	LxWxH mm segments	Part no.
52	500	5	24 x 3,5 x 12	31ETX0500-052
62	500	5	24 x 3,5 x 12	31ETX0500-062
72	500	6	24 x 3,5 x 12	31ETX0500-072
82	500	6	24 x 3,5 x 12	31ETX0500-082
92	500	7	24 x 3,5 x 12	31ETX0500-092
102	500	7	24 x 3,5 x 12	31ETX0500-102
112	500	7	24 x 4,0 x 12	31ETX0500-112
122	500	7	24 x 4,0 x 12	31ETX0500-122
132	500	8	24 x 4,0 x 12	31ETX0500-132
152	500	8	24 x 4,0 x 12	31ETX0500-152
162	500	9	24 x 4,0 x 12	31ETX0500-162
172	500	9	24 x 4,0 x 12	31ETX0500-172
182	500	9	24 x 4,5 x 12	31ETX0500-182
200	500	10	24 x 4,5 x 12	31ETX0500-200
250	500	11	24 x 4,5 x 12	31ETX0500-250
300	500	11	24 x 5,0 x 12	31ETX0500-300

- / Special lengths and diameters available on request
- / Indicate the actually required working length when ordering
- / Segment foot height can vary between 1 mm - 2 mm

Promotion period:

From 01.03.2025 to 31.05.2025, valid while supplies last, delivery time upon agreement!

We are happy to advise you:

Austria: +43 662 42 42 48-0
Email: office@eurodima.com

Head Office Austria:

EURODIMA GmbH & Co KG
Lagerstrasse 6, 5071 Wals

**Order easily –
by phone or via email:**

Alexander Wieland · Tel. +43 676 84 999 7607
aw@eurodima.com

Printing and typographical errors excepted.

Our terms and conditions apply – available at www.eurodima.com.

Please note our privacy policy – available at www.eurodima.com.

AX9 dry drill bit brazed/welded, with 1¼" UNC-connection and **set** diamonds

The AX9 segment impresses with its precise, three-dimensional symmetry of the diamond arrangement in the substrate. This causes a continuous wear of the segment and optimises the tool life and cutting speed.

For dry drilling of masonry, brick and reinforced concrete.

- / Set segments for highest performance
- / **Standard working length 330 mm**
- / Special lengths and connections available on request



Ø mm	L mm	Number of segments	LxWxH mm segments	Part no.
52	330	4	24 x 3,5 x 12	31AX90330-052
62	330	4	24 x 3,5 x 12	31AX90330-062
72	330	5	24 x 3,5 x 12	31AX90330-072
82	330	5	24 x 3,5 x 12	31AX90330-082
102	330	6	24 x 3,5 x 12	31AX90330-102
112	330	6	24 x 4,0 x 12	31AX90330-112
122	330	7	24 x 4,0 x 12	31AX90330-122
132	330	8	24 x 4,0 x 12	31AX90330-132
152	330	8	24 x 4,0 x 12	31AX90330-152

- / Special lengths and diameters available on request
- / Indicate the actually required working length when ordering
- / Segment foot height can vary between 1 mm - 2 mm

Promotion period:
From 01.03.2025 to 31.05.2025, valid while supplies last, delivery time upon agreement!

We are happy to advise you:
Austria: +43 662 42 42 48-0
Email: office@eurodima.com

Head Office Austria:
EURODIMA GmbH & Co KG
Lagerstrasse 6, 5071 Wals

**Order easily –
by phone or via email:**
Alexander Wieland · Tel. +43 676 84 999 7607
aw@eurodima.com

Printing and typographical errors excepted.

Our terms and conditions apply – available at www.eurodima.com.

Please note our privacy policy – available at www.eurodima.com.

Drop-in anchor incl. drive-in too

- / In a practical plastic storage bucket, stackable and resealable
- / Tested quality
- / **Diamond-pattern structure for better grip**



20 + 3 FREE

10 + 1 FREE

Ø mm	L mm	Number of anchors / bucket	Item description	Part no.	Offer
16	50	250 pieces	Drop-in anchor M12	1-BZB12SDN	20 + 3 free / 10 + 1 free
16	50	250 pieces	Drop-in anchor M12 with collar	1-BZB12SDN-Bund	10 + 1 free
20	65	100 pieces	Drop-in anchor M16	1-BZB16SDN	

Promotion period:

From 01.03.2025 to 31.05.2025, valid while supplies last, delivery time upon agreement!

We are happy to advise you:

Austria: +43 662 42 42 48-0
Email: office@eurodima.com

Head Office Austria:

EURODIMA GmbH & Co KG
Lagerstrasse 6, 5071 Wals

**Order easily –
by phone or via email:**

Alexander Wieland · Tel. +43 676 84 999 7607
aw@eurodima.com

Printing and typographical errors excepted.

Our terms and conditions apply – available at www.eurodima.com.

Please note our privacy policy – available at www.eurodima.com.